Специальные швейные машины серии LS
Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Россия (495)268-04-70
Киргизия (996)312-96-26-47
Казахстан (7172)727-132

mqa@nt-rt.ru || https://maqi.nt-rt.ru/

LS 591N-D3/LS 592N-D3-computer automatic thread trimming roller car

Computer automatic thread trimming roller car

LS 591N-D3	DPX5 16#	1	3000	0.8-5mm	7/10	38mm	750W	★	61.9/70	75x37x68
LS 592N-D3	DPX5 16#	2	2000	0.6-3.6mm	7/10	38mm	750W	★	61.9/70	75x37x68

save time:

Automatic reverse sewing, thread trimming, presser foot lift



Provincial line:
Reinforced movable fixed knife and wire clip, short wire head and stable wire clip.



Power saving:
full-time servo

Peace of mind:
Mechatronics Design

LS 1591N-D3-stepper motor feeding computer roller car

Stepper motor feeding computer roller car

LS 1591N	DPX5 16#	1	3000	0.8-7mm	7/10	38mm	750W	★	61.9/70	75x37x68



Intelligent touch screen, one-key direct function



Four sewing modes to meet different needs of customers

Pattern stitching, as you like

LS-T9820-High-speed electronic round head buttonhole machine

Special machine series

LS-T9820-00E	Do×558 11#~16#	5-50	1.5-5	12-16	★	★	22	2500	170/210	106*75*115
LS-T9820-01E	Do×558 11#~16#	8-42	1.5-5	12-16	★	★	22	2500	170/210	106*75*115
LS-T9820-02E	Do×558 11#~16#	-	1.5-5	12-16	★	★	22	2500	170/210	106*75*115

Large machine cavity, easy to operate

Dust collection device, clean and tidy

9820-02 Ultra Short Wire

LS-T1790C-High Speed Electronic Flat Head Buttonhole Machine Series

Special machine series

LS-T1790C	DP×5 11#~14#	25	2.5-5	17	★	★	1/4"-1"-1/4" 6.4-19	★	4200	1000W	112/120	78×39×76.5
LS-T1790C-K	DP×5 11#~14#	25	2.5-4	17	★	★	1/4"-3/4" 6.4-19	★	4200	1000W	112/120	78×39×76.5
LS-T1790C-7	DP×5 11#~14#	70	2.5-5	17	★	★	1/4"-1"-1/4" 6.4-65	★	4200	1000W	112/120	78×39×76.5
LS-T1790C-12	DP×5 11#~14#	120	2.5-4	17	★	★	1/4"-3/4" 6.4-115	★	4200	1000W	112/120	78×39×76.5
LS-T1790C-G	DP×5 11#~14#	25	2.5-4	17	★	★	1/4"-3/4" 6.4-115	★	4200	1000W	112/120	78×39×76.5

Motor cutter, low noise

Fan cooling

Imported hook

120mm sewing length

LS-T781F-High Speed Direct Drive Flat Buttonhole Machine

Special machine series

LS-T781F	DP×5 11#-14#	22	2.5-4	12	★	★	1/4"-3/4" 6.4-19	★	3600	370	58/69	68X38X61.5
LS-T781FK	DP×5 11#~14#	22	2.5-4	12	★	★	1/4"-3/4" 6.4-19	★	3600	370	58/69	68X38X61.5
LS-T783F	DP×5 11#-14#	40	2.5-4	12	★	★	1/4"-11/4" 6.4-31.7	★	3600	370	58/69	68X38X61.5

Energy saving brushless direct drive motor, energy saving and low noise

Synchronous belt drive, easy to adjust

Motor lifter

LS-T430G-01E/-02E-High-speed electronic bar tacking machine (integrated)

Special machine series

LS-T430G-01E(中厚料)	14#-19# DPX17	0.05-12.7	★	★	17mm	★	–	3200	56.6	78*36*55
LS-T430G-02E(厚料)	14#-19# DPX17	0.05-12.7	★	★	17mm	–	★	3200	56.6	78*36*55
LS-T430G-02E-ZH(带钉扣装置可互换)	14#-19# DPX17	0.05-12.7	★	★	17mm	–	★	3200	56.6	78*36*55



High-speed energy-saving servo motor



Simple quick-change device for tack fasteners



I contaminate dry lubrication
Black gold-plated steel needle bar

Automatic lifting, pressing and sweeping structure

LS -T1900ESS-High-speed electronic tacking machine series

Special machine series

LS-T1900ESS	16# DPX5		普通套结			3000	45/52	78*36*55
LS-T1900EYS	16# DPX5		揺眼,圆形			3000	45/52	78*36*55
LS-T1900EFS	16# DPX5		长方形			3000	45/52	78*36*55
LS-T1900EHS	21# DPX5		厚料			3000	45/52	78*36*55
LS-T1900ELS	16# DPX5		纵向			3000	45/52	78*36*55
LS-T1900EBYS	21# DPX5		半圆			3000	45/52	78*36*55
LS-T1900EKS	16# DPX5		针织			3000	45/52	78*36*55

Electronic clip



Optional pneumatic presser foot



Fully enclosed lower shaft gear is super wear-resistant

Optional LCD panel

LS -T438GE-High Speed Electronic Buttoning Machine

Special machine series

LS-T438GE	12# DPX17	0.05-12.7	★	★	13mm	★	–	2700	62/56	71.5*45*55



Wide range of adjustable clips

High-precision imported wear-resistant shuttle

Special treatment super wear-resistant lower shaft system



Contamination-free dry lubrication,
Black gold-plated steel needle bar (close-up of the head)

LS-T436GE-A-High-speed electronic small pattern machine

Special machine series

LS T436GE-A	6#-19# DPX17	0.05-12.7	★	★	17mm	★	–	2700	62/56	71.5*45*55

Standard USB interface
Reduce duplication of effort

Sewing range (9CMX6CM)

High-definition easy-to-use multi-function LCD panel

Stable and efficient, dial-up structure

LS-T438GE-SK-Automatic Button Feeding Machine

Special machine series

技术参数：

送纽时间：0.4秒/个
频率：50-60Hz
电压：22V
消耗功率：120W
纽扣类型：标准，2孔和4孔
可选，3孔和5孔
纽扣直径：8-30mm
纽扣厚度：1.8-5mm
供给方式：搬动盘供给

button feeder machine parameltrs:

sendutton time :every 0.4 seconds
frequeency:50-60Hz
voitage:22V
power consumption：120W
button type:standard,2 holes and 4 holes
optionally,3 holes and 5 holes
button diameer:8-30mm
button thickness:1.8-5mm
supply mode:vibration plate supply

Stepper motor bidirectional crimping system

Wide range of pneumatic clips

High-speed stability control system

Stable and efficient stepper motor feeding system

LS-T1903ESS-High-speed electronic buttoning machine (integrated)

Special machine series

LS-T1903ESS	14# DPX17	标准型		2700	45/52	78*36*55

Wide range of adjustable clips

Electronic clip

Dry contamination free lubrication
Super wear-resistant black gold-plated steel needle bar



Fully enclosed lower shaft gear is super wear-resistant

LS-T1904E-High-speed electronic large pattern bar tacking machine

High-speed electronic large pattern bar tacking machine

LS-T1904E	DPX17 #16	高速电子大花样套结机 (带中压脚)	长方形	(40x60)	3000	45/52	78*36*55
LS-T1905E	DPX17 #16	高速电子橡筋对接机(带中压脚)	纵向		3000	45/52	78*36*55
LS-T1902E	DPX15 #16	高速电子橡筋对接机(带中压脚)	横向		3000	45/52	78*36*55



Large sewing area

Optional pneumatic presser foot

Electronic cable

Intermediate presser foot structure

LS-T3020-High-speed electronic pattern machine

Special machine series

LS-T3020G	DPX17 18#-21#	0.05-12.7	300x200	★	★	2700	88/110	160x130x150
LS-T3020G-M（自动换模）	DPX17 18#-21#	0.05-12.7	300x200	★	★	2700	88/110	160x130x150
LST3020G-CH（侧滑装置）	DPX17 18#-21#	0.05-12.7	300x200	★	★	2700	88/110	160x130x150

THK rail

Wear-resistant gear

Imported hook



Disconnection detection device

LS-T2210G-01A/02A-High-speed electronic pattern machine

Special machine series

LS-T1310G-01A（气动）	DPX17 16#-19#	0.05-12.7	130x100	★	–	★	2700	88/110	130x90x135
LS-T1310G-02A（气动）	DPX17 16#-19#	0.05-12.7	130x100	★	★	–	2700	88/110	130x90x135
LS-T1310G-02A-CH（侧滑压脚）	DPX17 16#-19#	0.05-12.7	130x100	★	–	★	2700	88/110	145x115x130
LS-T2210G-01A（气动）	DPX17 16#-19#	0.05-12.7	220x100	★	–	★	2700	88/110	145x115x130
LS-T2210G-02A（气动）	DPX17 16#-19#	0.05-12.7	220x100	★	★	–	2700	88/110	145x115x130
LS-T2210G-01A-FZ（翻转压脚）	DPX17 16#-19#	0.05-12.7	220x100	★	–	–	2700	88/110	145x115x130
LS-T2210G-02A-CH（侧滑压脚）	DPX17 16#-19#	0.05-12.7	220x100	★	–	–	2700	88/110	145x115x130

Flip the presser foot

Side sliding presser foot



Disconnection detection device

LS-T2290SS-D3-B-High Speed Direct Drive Electronic Zigzag Sewing Machine

Special machine series

LS-T2290SS-D3-B	DPX5 10-14#	★	8	2.5	★	★	5.5-10	★	5000	65	78*38*86.7
LS-T2290SS-B	DPX5 10-14#	★	8	2.5	★	★	5.5-10	★	5000	65	78*38*86.7
LS-T2290SR-D3-B	DPX5 10-14#	★	8	2.5	★	★	5.5-10	★	5000	65	78*38*86.7

Closed loop stepper motor

touch operation panel

Black diamond needle bar and tungsten steel scissors



SR feeding stepper motor



Micro oil structure

LS-T2284N-High Speed Single Needle Zigzag Sewing Machine

Special machine series

LS-T2284N	DPX5 10-14#	5.5/10	★	★	★	5000	40/45	66*34*73



black diamond needle bar

Imported hook

One-step two-point and three-step four-point conversion device

Direct drive energy-saving motor

LS-T927D/928D-curved wrist machine series

Special machine series

LS-T927D		2	10	★	TVX04 #11-#16	3.0-3.5	★	★	–	3500	0.15CBM
LS-T927D-PS	(外置拖轮)	2	10	★	TVX04 #11-#16	3.0-3.5	★	★	–	3500	0.15CBM
LS-T927D-PL	(内置拖轮)	3	10-11	★	TVX04 #11-#16	3.0-4.2	★	★	–	3500	0.15CBM
LS-T928D		3	10-11	★	TVX5 #11-#22	3.0-4.2	★	★	★	3500	0.15CBM
LS-T928D-PS	(外置拖轮)	3	10-11	★	TVX5 #11-#22	3.0-4.2	★	★	★	3500	0.15CBM
LS-T928D-PL	(内置拖轮)	3	10-11	★	TVX5 #11-#22	3.0-4.2	★	★	★	3500	0.15CBM

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Россия (495)268-04-70
Киргизия (996)312-96-26-47
Казахстан (7172)727-132

mqa@nt-rt.ru || https://maqi.nt-rt.ru/